


Molle serie ISO 10243

Molle ISO
carico leggero 10 x 25
carico medio 19 x 152

Cod.
2M
2M

Mat.
CL
CM

Mis.
10025
19152



Made in Italy


d	l	df	ds	carico molla							
				CL verde	rigidità	CM blu	rigidità	CF rosso	rigidità	CXF giallo	rigidità
10	25	10	5	•	10.0	•	16.0	•	22.1	•	36.8
	32			•	8.5	•	13	•	17.5	•	27.9
	38			•	6.8	•	11.9	•	17.1	•	23.7
	44			•	6.0	•	10.3	•	15.0	•	19.2
	51			•	5.0	•	8.9	•	12.8	•	16.5
	64			•	4.3	•	7.5	•	10.7	•	13.2
	76			•	3.2	•	5.3	•	7.5	•	10.9
	305			•	1.1	•	1.6	•	2.1	•	2.6
	13			25	12.5	6.3	•	17.9	•	30.0	•
32		•	16.4	•			24.8	•	33.2	•	43.9
38		•	13.6	•			21.4	•	29.3	•	36.0
44		•	12.1	•			18.5	•	24.6	•	30.3
51		•	11.4	•			15.5	•	19.6	•	26.2
64		•	9.3	•			12.1	•	15.0	•	21.2
76		•	7.1	•			10.2	•	13.2	•	17.1
89		•	5.4	•			8.4	•	11.4	•	14.5
305		•	1.4	•			2.1	•	2.8	•	4.3
16	25	16	8	•	23.4	•	49.4	•	75.7	•	118.0
	32			•	22.9	•	37.1	•	52.8	•	89.0
	38			•	19.3	•	33.9	•	48.5	•	72.1
	44			•	17.1	•	30.0	•	42.8	•	60.9
	51			•	15.7	•	26.4	•	37.1	•	52.3
	64			•	10.7	•	20.5	•	30.3	•	41.2
	76			•	10.0	•	17.8	•	25.7	•	34.1
	89			•	8.6	•	15.2	•	21.7	•	29.3
	305			•	7.8	•	13.5	•	19.3	•	25.6
19	25	20	10	•	2.5	•	4.8	•	7.1	•	8.4
	32			•	55.8	•	98.0	•	216.0	•	293.0
	38			•	45.0	•	72.6	•	168.0	•	224.0
	44			•	33.3	•	56.0	•	129.0	•	177.0
	51			•	30.0	•	47.5	•	102.0	•	149.0
	64			•	24.5	•	41.7	•	94.0	•	128.0
	76			•	20.0	•	32.3	•	72.1	•	99.0
	89			•	16.0	•	25.1	•	59.7	•	81.7
	102			•	14.0	•	22.0	•	50.5	•	69.5
	115			•	12.0	•	19.8	•	44.2	•	60.6
	127			•	10.9	•	18.1	•	38.4	•	53.0
	139			•	9.5	•	16.6	•	34.1	•	47.5
	152			•	8.4	•	15.1	•	31.0	•	43.0
305	•	7.5	•	13.2	•	28.2	•	39.0			
305	•	4.0	•	6.1	•	15.0	•	21.2			

Molle ISO
carico forte 26 x 51
carico extra forte 38 x 203

Cod.
2M
2M

Mat.
CF
CXF

Mis.
26051
38203



Made in Italy

d	l	df	ds	carico molle								
				CL verde	rigidità	CM blu	rigidità	CF rosso	rigidità	CXF giallo	rigidità	
26	25	12.5	12.5	•	100.0	•	147.0	•	375.0	•	459.0	
				32	•	80.3	•	118.0	•	297.0	•	374.4
				38	•	62.0	•	93.0	•	219.0	•	346.0
				44	•	52.9	•	80.8	•	187.0	•	244.0
				51	•	44.0	•	68.6	•	156.0	•	207.5
				64	•	35.2	•	53.0	•	123.0	•	161.0
				76	•	28.0	•	43.2	•	99.0	•	130.8
				89	•	24.0	•	38.2	•	84.0	•	110.5
				102	•	21.1	•	33.0	•	73.0	•	96.3
				115	•	18.7	•	28.0	•	65.0	•	85.7
				127	•	16.7	•	25.9	•	57.7	•	76.3
				139	•	15.3	•	23.2	•	52.7	•	68.9
				152	•	14.0	•	20.8	•	47.8	•	63.5
				178	•	12.5	•	17.8	•	41.0	•	53.9
				203	•	10.4	•	15.8	•	35.8	•	47.0
				305	•	7.0	•	10.2	•	22.9	•	30.9
32	32	16	16	•	94.0	•	185.0	•	388.0	•	528.2	
				44	•	79.5	•	158.0	•	324.0	•	424.4
				51	•	67.0	•	134.0	•	272.0	•	353.0
				64	•	53.0	•	99.0	•	212.0	•	269.2
				76	•	44.0	•	80.5	•	172.0	•	218.5
				89	•	37.2	•	69.1	•	141.0	•	180.5
				102	•	32.0	•	58.8	•	122.0	•	155.0
				115	•	29.0	•	51.5	•	107.0	•	140.0
				127	•	25.0	•	44.8	•	93.0	•	124.0
				139	•	23.0	•	42.3	•	86.0	•	112.5
				152	•	21.5	•	37.8	•	78.0	•	102.0
				178	•	18.2	•	32.5	•	67.2	•	88.2
				203	•	15.8	•	28.9	•	59.1	•	76.0
				254	•	12.5	•	21.4	•	46.4	•	60.8
				305	•	10.3	•	18.3	•	38.0	•	49.0
				38	40	20	20	•	92.0	•	181.6	•
64	•	73.0	•					140.0	•	269.0	•	487.0
76	•	63.0	•					108.0	•	219.0	•	379.0
89	•	51.0	•					90.7	•	190.0	•	321.0
102	•	43.0	•					81.0	•	163.0	•	281.0
115	•	39.6	•					71.8	•	142.0	•	245.0
127	•	37.0	•					62.7	•	128.0	•	221.0
139	•	32.0	•					57.5	•	115.0	•	190.0
152	•	28.0	•					51.6	•	105.0	•	168.0
178	•	25.2	•					44.1	•	89.0	•	146.0
203	•	22.7	•	36.7	•	77.0	•	132.0				
254	•	17.0	•	30.1	•	61.0	•	107.0				
305	•	14.8	•	24.6	•	51.0	•	87.8				

Molle serie ISO 10243


Molle ISO
carico medio 51 x 229
carico forte 63 x 305

Cod.
2M
2M

Mat.
CM
CF

Mis.
51229
63305

Made in Italy



d	l	df	ds	carico molla									
				CL verde	rigidità	CM blu	rigidità	CF rosso	rigidità	CXF giallo	rigidità		
51	64	50	25	•	156.0	•	209.0	•	413.0	•	709.0		
	76			•	125.0	•	168.0	•	339.0	•	572.0		
	89			•	109.0	•	140.0	•	288.0	•	475.0		
	102			•	94.0	•	119.0	•	245.0	•	405.0		
	115			•	81.0	•	106.0	•	215.0	•	352.0		
	127			•	71.0	•	97.0	•	192.0	•	316.0		
	139			•	66.5	•	87.0	•	168.0	•	274.0		
	152			•	60.0	•	80.0	•	154.0	•	239.0		
	178			•	52.0	•	69.5	•	134.0	•	215.0		
	203			•	44.0	•	59.8	•	117.0	•	187.0		
	229			•		•	50.9						
	254			•		•	35.0	•	43.9	•	89.0	•	153.0
	305			•		•	28.5	•	38.6	•	73.0	•	127.0
	63			76	63	38	•	189.0	•	312.0	•	618.0	•
89		•	158.0	•			260.0	•	515.0	•	819.0		
102		•	131.0	•			227.0	•	438.0	•	700.0		
115		•	116.0	•			187.0	•	370.0	•	620.0		
127		•	103.0	•			168.0	•	333.0	•	565.0		
152		•	84.3	•			136.0	•	269.0	•	458.0		
178		•	71.5	•			114.0	•	226.0	•	384.0		
203		•	61.7	•			100.0	•	198.0	•	337.0		
229		•		•			89.2						
254		•		•			47.0	•	78.4	•	155.0	•	263.0
305		•		•			38.2	•	64.7	•	128.0	•	218.0